

SECTION 1: Identification**1.1. GHS Product identifier**

Product form : Mixture
Product name : Carbon Laminate

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

No additional information available

1.4. Supplier's details**Supplier**

The Bhor Chemical & Plastics Pvt. Ltd.
Plot No. 1/2/3, Survey No. 6/1/1,
Vilholi Shiwar, Mumbai Nashik Highway,
Vilholi, Nashik – 422010, Maharashtra, India.
T +919323211362

1.5. Emergency phone number

Emergency number : +919323211362

SECTION 2: Hazard identification**2.1. Classification of the substance or mixture****Classification according to the United Nations GHS**

Serious eye damage/eye irritation, Category 2 H319

Skin sensitisation, Category 1 H317

Specific target organ toxicity – Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects : May cause drowsiness or dizziness, May cause an allergic skin reaction, Causes serious eye irritation.

2.2. GHS Label elements, including precautionary statements**Labelling according to the United Nations GHS**

Hazard pictograms (GHS UN)



Signal word (GHS UN)

: Warning

Hazardous ingredients

: Carbon; Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[{(1-methylethylidene)bis(4,1-phenyleneoxymethylene)}]bis[oxirane]

Hazard statements (GHS UN)

: H317 - May cause an allergic skin reaction

: H319 - Causes serious eye irritation

: H335 - May cause respiratory irritation

Precautionary statements (GHS UN)

: P261 - Avoid breathing dust, fume, gas, mist, spray, vapours.

: P264+P265 - Wash hands and forearms and face thoroughly after handling. Do not touch eyes.

: P271 - Use only outdoors or in a well-ventilated area.

: P272 - Contaminated work clothing should not be allowed out of the workplace.

: P280 - Wear protective clothing, eye protection, face protection, protective gloves.

: P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

Carbon Laminate

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P319 - Get medical help if you feel unwell.
P333+P317 - If skin irritation or rash occurs: Get medical help.
P337+P317 - If eye irritation persists: Get medical help.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Carbon	CAS-No.: 7440-44-0	70 – 80	Eye Irrit. 2, H319 STOT SE 3, H335
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane]	CAS-No.: 25036-25-3	20 – 30	Skin Sens. 1, H317

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Seek medical attention if ill effect or irritation develops.

First-aid measures after eye contact : Rinse immediately with plenty of water. Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical attention if ill effect or irritation develops.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.
Symptoms/effects after skin contact : May cause an allergic skin reaction.
Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

Carbon Laminate

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released. Thermal decomposition can lead to the release of irritating gases and vapours.

5.3. Special protective actions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate unnecessary personnel.
Personal Precautions, Protective Equipment and Emergency Procedures : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Prevention Measures for Secondary Accidents : Avoid release to the environment.

6.1.1. For non-emergency personnel

Protective equipment : Wear personal protective equipment. Wear suitable protective clothing. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

For containment : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Collect spillage.
Methods for cleaning up : Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Handle in accordance with good industrial hygiene and safety procedures.

Carbon Laminate

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.
Other information : Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Impermeable protective gloves. protective gloves
Eye protection : Chemical goggles or safety glasses. Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Wear suitable respiratory equipment in case of insufficient ventilation

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Colour	: Black.
Odour	: Odourless.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic (calculated value) (40 °C)	: Not applicable
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.6 g/cm³
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable

Carbon Laminate

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Solubility : Not available
Particle size : Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive limits : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Carbon Laminate

Unknown acute toxicity (GHS UN)	110% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 110% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 110% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
---------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Carbon (7440-44-0)

LD50 oral rat	> 10000 mg/kg (Source: IUCLID)
LC50 Inhalation - Rat (Vapours)	> 64.4 mg/l

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[1-methylethylidene]bis(4,1-phenyleneoxymethylene)]bis[oxirane] (25036-25-3)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.

Carbon Laminate

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Carbon (7440-44-0)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Carbon Laminate	
Viscosity, kinematic	Not applicable
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

12.2. Persistence and degradability

Carbon Laminate	
Persistence and degradability	Rapidly degradable
Carbon (7440-44-0)	
Persistence and degradability	Not rapidly degradable
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[1-methylethylidene]bis(4,1-phenyleneoxymethylene)]bis[oxirane] (25036-25-3)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Carbon Laminate	
Bioaccumulative potential	No additional information available
Carbon (7440-44-0)	
Partition coefficient n-octanol/water (Log Pow)	0.78 Source: Quantitative Structure Activity Relation

12.4. Mobility in soil

Carbon Laminate	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available
Effect on the ozone layer	: No additional information available.
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of in a safe manner in accordance with local/national regulations.
Ecological waste information	: Avoid release to the environment.

Carbon Laminate

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 14: Transport information

In accordance with UN RTDG / IMDG / IATA /

UN RTDG	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. UN Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

UN RTDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

Issue date : 20/06/2025
Revision date : 20/06/2025

Other information : None.

Full text of H-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet (SDS), UN

Carbon Laminate

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.